



SAFETY DATA SHEET

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

Relevant identified uses of the substance or mixture and uses advised against

Application Cleaning & disinfecting.

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier Clorox Australia
Level 3, The Avenue, 10 Herb Elliot Ave,
Sydney Olympic Park,
NSW, Australia, 2127

Emergency telephone number

Emergency telephone +44 (0) 808 234 6903
Monday - Thursday:- 09:00 - 17:30
Friday:- 09:00 - 17:00

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

Environmental hazards Aquatic Acute 2 - H401 Aquatic Chronic 3 - H412

Label elements

Hazard pictograms



Signal word WARNING

Hazard statements H315 Causes skin irritation.
H319 Causes serious eye irritation.
H401 Toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

Other hazards

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients

Mixtures

| |
|---|
| 2-hexyloxyethanol 1 - <2.5% CAS number: 112-25-4 |
| Classification Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Eye Dam. 1 - H318 |
| propan-2-ol 0.25 - <0.5% CAS number: 67-63-0 |
| Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336 |
| Alcohols, C12-14, ethoxylated propoxylated 0.25 - <0.5% CAS number: 68439-51-0 M factor (Acute) = 1 M factor (Chronic) = 1 |
| Classification Eye Irrit. 2A - H319 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides 0.025 - <0.25% CAS number: 85409-23-0 M factor (Acute) = 10 |
| Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 |

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

| | |
|---|--------------------------|
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides CAS number: 68391-01-5 M factor (Acute) = 10 | 0.025 - <0.25% |
| Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 | |
| Ethanol CAS number: 64-17-5 | 0.025 - <0.25% |
| Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 | |
| Amines, C12-18-alkyldimethyl CAS number: 68391-04-8 M factor (Acute) = 10 M factor (Chronic) = 1 | <0.025% |
| Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | |

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

| | |
|----------------------------|--|
| General information | If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel. |
| Inhalation | No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues. |
| Ingestion | No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues. |
| Skin Contact | No specific recommendations. Rinse with water. Get medical attention if any discomfort continues. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. |

Most important symptoms and effects, both acute and delayed

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

| | |
|----------------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | Irritation of nose, throat and airway. Prolonged inhalation of high concentrations may damage respiratory system. |
| Ingestion | May cause stomach pain or vomiting. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. |
| Skin contact | Prolonged and frequent contact may cause redness and irritation. |
| Eye contact | Redness. May cause eye irritation. Profuse watering of the eyes. |

Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Harmful gases or vapours.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions No specific recommendations. For personal protection, see Section 8.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

| | |
|---|---|
| Usage precautions | Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. |
| Advice on general occupational hygiene | Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash it before reuse. |

Conditions for safe storage, including any incompatibilities

| | |
|----------------------------|---|
| Storage precautions | Store away from incompatible materials (see Section 10). No specific recommendations. |
| Storage class | Chemical storage. |

Specific end use(s)

| | |
|----------------------------|---|
| Specific end use(s) | The identified uses for this product are detailed in Section 1. |
|----------------------------|---|

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

propan-2-ol

Long-term exposure limit (8-hour TWA): 400 ppm 983 mg/m³

Short-term exposure limit (15-minute): 500 ppm 1230 mg/m³

Ethanol

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m³

Exposure controls

| | |
|---|---|
| Appropriate engineering controls | No specific ventilation requirements. |
| Eye/face protection | No specific eye protection required during normal use. |
| Hand protection | No specific hand protection recommended. |
| Other skin and body protection | Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible. |
| Hygiene measures | Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. |
| Respiratory protection | No specific recommendations. Provide adequate ventilation. |
| Environmental exposure controls | Avoid release to the environment. |

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|--|-----------------|
| Appearance | Solid. |
| Colour | White. |
| Odour threshold | Not determined. |
| pH | Not determined. |
| Melting point | Not relevant. |
| Initial boiling point and range | Not relevant. |

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

| | |
|--------------------------------------|---|
| Flash point | Not relevant. |
| Evaporation rate | Not determined. |
| Evaporation factor | Not determined. |
| Flammability (solid, gas) | Not relevant. |
| Flammability Limit - Lower(%) | Not relevant. |
| Vapour pressure | Not relevant. |
| Vapour density | Not relevant. |
| Relative density | Not determined. |
| Bulk density | Not determined. |
| Solubility(ies) | Insoluble in water. |
| Partition coefficient | Not relevant. |
| Auto-ignition temperature | Not relevant. |
| Decomposition Temperature | Not relevant. |
| Viscosity | Not relevant. |
| Explosive properties | Not considered to be explosive. |
| Oxidising properties | The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising. |
| Other information | No information required. |

SECTION 10: Stability and reactivity

| | |
|---|--|
| Reactivity | There are no known reactivity hazards associated with this product. |
| Stability | Stable at normal ambient temperatures and when used as recommended. |
| Possibility of hazardous reactions | Will not polymerise. |
| Conditions to avoid | Avoid excessive heat for prolonged periods of time. |
| Materials to avoid | Avoid contact with the following materials: Acids. Alkalis. Strong oxidising agents. Strong reducing agents. |
| Hazardous decomposition products | None at ambient temperatures. Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen. |

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 8,561.88

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

| | |
|--|---|
| ATE dermal (mg/kg) | 41,385.25 |
| <u>Acute toxicity - inhalation</u> | |
| Notes (inhalation LC₅₀) | Based on available data the classification criteria are not met. |
| <u>Skin corrosion/irritation</u> | |
| Skin corrosion/irritation | Causes skin irritation. |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Causes eye irritation. |
| <u>Respiratory sensitisation</u> | |
| Respiratory sensitisation | Based on available data the classification criteria are not met. |
| <u>Skin sensitisation</u> | |
| Skin sensitisation | Based on available data the classification criteria are not met. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | Based on available data the classification criteria are not met. |
| Genotoxicity - in vivo | Based on available data the classification criteria are not met. |
| <u>Carcinogenicity</u> | |
| Carcinogenicity | Based on available data the classification criteria are not met. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | Based on available data the classification criteria are not met. |
| Reproductive toxicity - development | Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity - single exposure</u> | |
| STOT - single exposure | Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity - repeated exposure</u> | |
| STOT - repeated exposure | Based on available data the classification criteria are not met. |
| <u>Aspiration hazard</u> | |
| Aspiration hazard | Not anticipated to present an aspiration hazard, based on chemical structure. |

SECTION 12: Ecological information

| | |
|---|--|
| Toxicity | The product contains a substance which is very toxic to aquatic organisms. |
| <u>Persistence and degradability</u> | |
| Persistence and degradability | The degradability of the product is not known. |
| <u>Bioaccumulative potential</u> | |
| Bioaccumulative Potential | No data available on bioaccumulation. |
| Partition coefficient | Not relevant. |
| <u>Mobility in soil</u> | |
| Mobility | No data available. |
| <u>Other adverse effects</u> | |
| Other adverse effects | Not relevant. |

SECTION 13: Disposal considerations

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

Waste treatment methods

| | |
|----------------------------|---|
| General information | The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |

SECTION 14: Transport information

| | |
|----------------|--|
| General | The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADG). |
|----------------|--|

UN number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

SECTION 16: Any other relevant information

Abbreviations and acronyms used in the safety data sheet ADG: Australian dangerous goods code

IATA: International air transport association.

ICAO: Technical instructions for the safe transport of dangerous goods by air.

IMDG: International maritime dangerous goods.

CAS: Chemical abstracts service.

ATE: Acute toxicity estimate.

LC₅₀: Lethal concentration to 50 % of a test population.

LD₅₀: Lethal dose to 50% of a test population (median lethal dose).

EC₅₀: 50% of maximal effective concentration.

PBT: Persistent, bioaccumulative and toxic substance.

vPvB: Very persistent and very bioaccumulative.

Clorox® Disinfecting Wipes Commercial Solutions Fresh Scent

| | |
|--|--|
| Classification abbreviations and acronyms | Acute Tox. = Acute toxicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic) Asp. Tox. = Aspiration hazard Carc. = Carcinogenicity Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Met. Corr. = Corrosive to metals Muta. = Germ cell mutagenicity Org. Perox. = Organic peroxide Ox. Gas = Oxidising gas Ox. Liq. = Oxidising liquid Ox. Sol. = Oxidising solid Repr. = Reproductive toxicity Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure |
| Revision comments | This is the first issue. |
| Revision date | 23/01/2018 |
| SDS No. | 668 |
| Hazard statements in full | H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

The information supplied here is accurate to the best knowledge and belief of the supplier, it is however, not intended as a warranty or representation, and should not be construed as such, for which the supplier assumes any legal responsibility. Any information or advice obtained from the supplier other than by means of this publication, and whether relating to the supplier's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by the supplier when used instead of, or in conjunction with materials supplied by the supplier, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. The supplier accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.